

MYCOLIF-10

TIAMULIN HYDROGEN FUMARATE 10%
COATED GRANULES

**Best for
Mycoplasma**

COMPOSITION:-

Each kg contains:

Tiamulin Hydrogen Fumarate.....100gm
Carrier.....Q.S.

INDICATION:-

- ◆ Helps to improve growth and body weight in the poultry.
- ◆ Prevention and control of mycoplasma infections.
- ◆ Consistently improves egg productions.
- ◆ Prevention and control of chronic respiratory disease.
- ◆ Highly active antibiotic growth promoter.
- ◆ It is an wide spectrum antibacterial.

CONTRAINDICATIONS:-

Poultry should not receive products containing **monensin, narasin or salinomycin** during or for atleast 7 days before and after treatment with **Mycolif-10** severe growth depression or death may result.

WITHDRAWAL PERIOD:-

For treatment, for meat: 5 days after last administration of the preparation.

For prevention, for meat: 3 days after last administration of the preparation.

PRESENTATION:-

1kg Pouch.

INCLUSION RATE:-

STANDARD INCLUSION:

250-500gm per ton of feed for 5-7 days.

RECOMMENDED INCLUSION:

1600-3200gm per to of feed during 1-3rd days of age and subsequently 2-3 days in a month.

Or advised by the **Veterinarian**.



Manufactured in India by:
ALIFVET PVT. LTD.
217, 2nd Floor, Powai Plaza, Hiranandani Gardens,
Powai 400076, Mumbai, Maharashtra, India.

